

Research papers

1. Zhang, T. et al. (2016) Membrane binding and oligomer formation of the calcium-dependent lipopeptide antibiotic A54145: a quantitative study with pyrene excimer fluorescence. *Biophys J* (in press):x-x
2. Taylor, R. M. et al. (2016) Two successive calcium-dependent transitions mediate membrane binding and oligomerization of daptomycin and the related antibiotic A54145. *BBA Biomembranes* 1858:1999-2005
3. Lohani, Chuda Raj et al. (2016) α-Azido Acids in Solid-Phase Peptide Synthesis: Compatibility with Fmoc Chemistry and an Alternative Approach to the Solid Phase Synthesis of Daptomycin Analogs. [*J Org Chem* 81:2624-8](#)
4. Ellis, R. and Palmer, M. (2016) Modulation of ice ages via precession and dust-albedo feedbacks. [*Geoscience Frontiers* in press:x-x](#)
5. Lohani, C. et al. (2015) Solid-Phase Total Synthesis of Daptomycin and Analogs. [*Organic Letters* 17:748-751](#)
6. Lohani, Chuda Raj et al. (2015) Solid-phase synthesis and in vitro biological activity of a Thr4→Ser4 analog of daptomycin. [*Bioorg Med Chem Lett* 25:5490-4](#)
7. Zhang, T. et al. (2014) Daptomycin forms cation- and size-selective pores in model membranes. [*Biochim Biophys Acta* 1838:2425-2430](#)
8. Zhang, TianHua et al. (2014) Cardiolipin prevents membrane translocation and permeabilization by daptomycin. [*J Biol Chem* 289:11584-91](#)
9. Pokrajac, Lisa et al. (2013) Oligomerization and hemolytic properties of the C-terminal domain of pyolysin, a cholesterol-dependent cytolysin. [*Biochem Cell Biol* 91:59-66](#)
10. Zhang, Tianhua et al. (2013) Mutual inhibition through hybrid oligomer formation of daptomycin and the semisynthetic lipopeptide antibiotic CB-182,462. [*Biochim Biophys Acta* 1828:302-8](#)
11. Palmer, Michael (2013) Combination treatment of epilepsy with ketogenic diet and concurrent pharmacological inhibition of cytochrome P450 2E1. [*Med Hypotheses* 80:481-5](#)
12. Brefo-Mensah, Eric K. and Palmer, Michael (2012) mol2chemfig, a tool for rendering chemical structures from molfile or SMILES format to LaTeX code. [*J Cheminform* 4:24](#)
13. Muraih, Jawad K. et al. (2012) Characterization of daptomycin oligomerization with perylene excimer fluorescence: stoichiometric binding of phosphatidylglycerol triggers oligomer formation. [*Biochim Biophys Acta* 1818:673-8](#)
14. Muraih, Jawad K. and Palmer, Michael (2012) Estimation of the subunit stoichiometry of the membrane-associated daptomycin oligomer by FRET. [*Biochim Biophys Acta* 1818:1642-1647](#)
15. Pokrajac, Lisa et al. (2012) Partial oligomerization of pyolysin induced by a disulfide-tethered mutant. [*Biochem Cell Biol* 90:709-717](#)
16. Harris, J. Robin et al. (2011) Cholesterol microcrystals and cochleate cylinders: attachment of pyolysin oligomers and domain 4. [*J Struct Biol* 173:38-45](#)

17. Muraih, Jawad K. et al. (2011) Oligomerization of daptomycin on membranes. *Biochim Biophys Acta* 1808:1154-60
18. Löhner, Sabine et al. (2009) Pore formation by *Vibrio cholerae* cytolsin follows the same archetypical mode as β-barrel toxins from gram-positive organisms. *FASEB J* 23:2521-8
19. Spratt, Donald E. et al. (2008) FRET conformational analysis of calmodulin binding to nitric oxide synthase peptides and enzymes. *Biochemistry* 47:12006-17
20. Wu, Xiaoming et al. (2008) Synthesis and biological evaluation of sperm CD52 GPI anchor and related derivatives as binding receptors of pore-forming CAMP factor. *Carbohydr Res* 343:1718-29
21. El-Huneidi, Waseem et al. (2007) *Streptococcus agalactiae* CAMP factor/protein B does not bind to human IgG. *Med Microbiol Immunol* 196:73-7
22. Lang, Shenhui et al. (2007) *Streptococcus agalactiae* CAMP factor binds to GPI-anchored proteins. *Med Microbiol Immunol* 196:1-10
23. Spratt, Donald E. et al. (2007) Differential binding of calmodulin domains to constitutive and inducible nitric oxide synthase enzymes. *Biochemistry* 46:8288-300
24. Lang, Shenhui et al. (2006) Selective labeling of selenomethionine residues in proteins with a fluorescent derivative of benzyl bromide. *Anal Biochem* 359:253-8
25. Lang, Shenhui et al. (2005) Dual-targeted labeling of proteins using cysteine and selenomethionine residues. *Anal Biochem* 342:271-9
26. Lang, Shenhui and Palmer, Michael (2003) Characterization of *Streptococcus agalactiae* CAMP factor as a pore-forming toxin. *J Biol Chem* 278:38167-73
27. Palmer, Michael (2003) Efflux of cytoplasmically acting antibiotics from gram-negative bacteria: periplasmic substrate capture by multicomponent efflux pumps inferred from their cooperative action with single-component transporters. *J Bacteriol* 185:5287-9
28. Zitzer, Alexander et al. (2003) Differential interaction of the two cholesterol-dependent, membrane-damaging toxins, streptolysin O and *Vibrio cholerae* cytolsin, with enantiomeric cholesterol. *FEBS Lett* 553:229-31
29. Harris, J. Robin et al. (2002) Interaction of the *Vibrio cholerae* cytolsin (VCC) with cholesterol, some cholesterol esters, and cholesterol derivatives: a TEM study. *J Struct Biol* 139:122-35
30. Schindel, C. et al. (2001) Interaction of *Escherichia coli* hemolysin with biological membranes. A study using cysteine scanning mutagenesis. *Eur J Biochem* 268:800-8
31. Valeva, A. et al. (2001) Membrane insertion of the heptameric staphylococcal α-toxin pore. A domino-like structural transition that is allosterically modulated by the target cell membrane. *J Biol Chem* 276:14835-41
32. Zitzer, A. et al. (2001) Coupling of cholesterol and cone-shaped lipids in bilayers augments membrane permeabilization by the cholesterol-specific toxins streptolysin O and *Vibrio cholerae* cytolsin. *J Biol Chem* 276:14628-33
33. Weis, S. and Palmer, M. (2001) Streptolysin O: the C-terminal, tryptophan-rich domain carries functional sites for both membrane binding and self-interaction but not for stable oligomerization. *Biochim Biophys Acta* 1510:292-9
34. Valeva, A. et al. (2000) Staphylococcal α-toxin: repair of a calcium-impermeable pore in the target cell membrane. *Mol Microbiol* 36:467-76
35. Zitzer, A. et al. (2000) *Vibrio cholerae* cytolsin: assembly and membrane insertion of the oligomeric pore are tightly linked and are not detectably restricted by membrane fluidity. *Biochim Biophys Acta* 1509:264-74
36. Abdel Ghani, E. M. et al. (1999) Streptolysin O: inhibition of the conformational change during membrane binding of the monomer prevents oligomerization and

- pore formation. *Biochemistry* 38:15204-11
37. Zitzer, A. et al. (1999) Oligomerization of *Vibrio cholerae* cytolysin yields a pentameric pore and has a dual specificity for cholesterol and sphingolipids in the target membrane. *J Biol Chem* 274:1375-80
38. Gonelle-Gispert, C. et al. (1999) SNAP-25a and -25b isoforms are both expressed in insulin-secreting cells and can function in insulin secretion. *Biochem J* 339 (Pt 1):159-65
39. Engel, F. et al. (1998) Bacterial cytolysin perturbs round window membrane permeability barrier in vivo: possible cause of sensorineural hearing loss in acute otitis media. *Infect Immun* 66:343-6
40. Harris, JR et al. (1998) Cholesterol-Streptolysin O Interaction: An EM Study of Wild-Type and Mutant Streptolysin O. *J Struct Biol* 121:343-55
41. Jahn, B. et al. (1998) Accumulation of amphotericin B in human macrophages enhances activity against *Aspergillus fumigatus* conidia: quantification of conidial kill at the single-cell level. *Antimicrob Agents Chemother* 42:2569-75
42. Palmer, M. et al. (1998) Streptolysin O: a proposed model of allosteric interaction between a pore-forming protein and its target lipid bilayer. *Biochemistry* 37:2378-83
43. Palmer, M. et al. (1998) Assembly mechanism of the oligomeric streptolysin O pore: the early membrane lesion is lined by a free edge of the lipid membrane and is extended gradually during oligomerization. *EMBO J* 17:1598-605
44. Palmer, M. et al. (1997) Cysteine-specific radioiodination of proteins with fluorescein maleimide. *Anal Biochem* 253:175-9
45. Valeva, A. et al. (1997) Staphylococcal α -toxin: formation of the heptameric pore is partially cooperative and proceeds through multiple intermediate stages. *Biochemistry* 36:13298-304
46. Valeva, A. et al. (1997) Staphylococcal α -toxin: the role of the N-terminus in formation of the heptameric pore -- a fluorescence study. *Biochim Biophys Acta* 1325:281-6
47. Valeva, A. et al. (1997) Transmembrane β -barrel of staphylococcal α -toxin forms in sensitive but not in resistant cells. *Proc Natl Acad Sci U S A* 94:11607-11
48. Zitzer, A. et al. (1997) Mode of primary binding to target membranes and pore formation induced by *Vibrio cholerae* cytolysin (hemolysin). *Eur J Biochem* 247:209-16
49. Palmer, M. et al. (1996) Membrane-penetrating domain of streptolysin O identified by cysteine scanning mutagenesis. *J Biol Chem* 271:26664-7
50. Valeva, A. et al. (1996) Molecular architecture of a toxin pore: a 15-residue sequence lines the transmembrane channel of staphylococcal α -toxin. *EMBO J* 15:1857-64
51. Walev, I. et al. (1996) Pore-forming toxins trigger shedding of receptors for interleukin 6 and lipopolysaccharide. *Proc Natl Acad Sci U S A* 93:7882-7
52. Weller, U. et al. (1996) Expression of active streptolysin O in *Escherichia coli* as a maltose-binding-protein--streptolysin-O fusion protein. The N-terminal 70 amino acids are not required for hemolytic activity. *Eur J Biochem* 236:34-9
53. Palmer, M. et al. (1995) Kinetics of streptolysin O self-assembly. *Eur J Biochem* 231:388-95
54. Pinkney, M. et al. (1995) Different forms of streptolysin O produced by *Streptococcus pyogenes* and by *Escherichia coli* expressing recombinant toxin: cleavage by streptococcal cysteine protease. *Infect Immun* 63:2776-9
55. Valeva, A. et al. (1995) Correct oligomerization is a prerequisite for insertion of the central molecular domain of staphylococcal α -toxin into the lipid bilayer. *Biochim*

56. Walev, I. et al. (1995) Binding, oligomerization, and pore formation by streptolysin O in erythrocytes and fibroblast membranes: detection of nonlytic polymers. *Infect Immun* 63:1188-94
57. Walev, I. et al. (1995) Potassium-inhibited processing of IL-1 β in human monocytes. *EMBO J* 14:1607-14
58. Zitzer, A. et al. (1995) Characterization of *Vibrio cholerae* El Tor cytolsin as an oligomerizing pore-forming toxin. *Med Microbiol Immunol* 184:37-44
59. Regazzi, R. et al. (1995) VAMP-2 and cellubrevin are expressed in pancreatic β -cells and are essential for Ca^{2+} - but not for GTP γ S-induced insulin secretion. *EMBO J* 14:2723-30
60. Engel, F. et al. (1995) Breakdown of the round window membrane permeability barrier evoked by streptolysin O: possible etiologic role in development of sensorineural hearing loss in acute otitis media. *Infect Immun* 63:1305-10
61. Jonas, D. et al. (1994) Novel path to apoptosis: small transmembrane pores created by staphylococcal α -toxin in T lymphocytes evoke internucleosomal DNA degradation. *Infect Immun* 62:1304-12
62. Walev, I. et al. (1994) Recovery of human fibroblasts from attack by the pore-forming α -toxin of *Staphylococcus aureus*. *Microb Pathog* 17:187-201
63. Ward, R. J. et al. (1994) Identification of a putative membrane-inserted segment in the α -toxin of *Staphylococcus aureus*. *Biochemistry* 33:7477-84
64. Jonas, J. C. et al. (1994) Dynamics of Ca^{2+} and guanosine 5'-[γ -thio]triphosphate action on insulin secretion from α -toxin-permeabilized HIT-T15 cells. *Biochem J* 301 (Pt 2):523-9
65. Palmer, M. et al. (1993) *Staphylococcus aureus* α -toxin. Production of functionally intact, site-specifically modifiable protein by introduction of cysteine at positions 69, 130, and 186. *J Biol Chem* 268:11959-62
66. Palmer, M. et al. (1993) Altered pore-forming properties of proteolytically nicked staphylococcal α -toxin. *J Biol Chem* 268:11963-7

Reviews

1. Taylor, S. D. and Palmer, M. (2016) The action mechanism of daptomycin. *Bioorganic and Medicinal Chemistry* in press:x-x
2. Harris, J. Robin and Palmer, Michael (2010) Cholesterol specificity of some heptameric β -barrel pore-forming bacterial toxins: structural and functional aspects. *Subcell Biochem* 51:579-96
3. Palmer, Michael (2004) Cholesterol and the activity of bacterial toxins. *FEMS Microbiol Lett* 238:281-9
4. Palmer, M. (2001) The family of thiol-activated, cholesterol-binding cytolsins. *Toxicon* 39:1681-9
5. Bhakdi, S. et al. (1998) Pore-forming bacterial cytolsins. *Symp Ser Soc Appl Microbiol* 27:15S-25S
6. Palmer, M. (1998) Staphylococcal α toxin. *Symp Ser Soc Appl Microbiol* 27:125S-126S
7. Bhakdi, S. et al. (1996) Staphylococcal α -toxin, streptolysin-O, and *Escherichia coli* hemolysin: prototypes of pore-forming bacterial cytolsins. *Arch Microbiol* 165:73-9
8. Bhakdi, S. et al. (1996) Pathogenesis of sepsis syndrome: possible relevance of pore-forming bacterial toxins. *Curr Top Microbiol Immunol* 216:101-18
9. Bhakdi, S. et al. (1993) A guide to the use of pore-forming toxins for controlled permeabilization of cell membranes. *Med Microbiol Immunol* 182:167-75

Books

1. Palmer, M. (2014) [Lecture notes on human metabolism](#) (self-published).
2. Palmer, M. et al. (2013) [Notes to Biochemical Pharmacology](#) (John Wiley and Sons).
3. Palmer, M. et al. (2012) [Biochemical Pharmacology](#) (John Wiley and Sons).

Go back to [top](#)

Department of Chemistry
University of Waterloo
200 University Avenue West
Waterloo, Ontario, Canada N2L 3G1
TEL: 519 888 4567 FAX: 519 746-0435

MAKING THE FUTURE
SUPPORT WATERLOO

[UW home](#) | [science home](#) | [chemistry home](#)